

FILED

2003 MAY - 2 PM 12:44

DEPARTMENT OF SHARPS
TALLAHASSEE, FLORIDA

MANATEE COUNTY ZONING ORDINANCE
PDMU-02-20(Z)(P) - UNIVERSITY GROVE/WIMPEY/WHITCOMB/AUSTIN, FLORIDA

FILED FOR RECORD
R. B. SHORE

2003 MAY - 9 AM 9:53

AN ORDINANCE OF THE COUNTY OF MANATEE, FLORIDA, AMENDING THE OFFICIAL ZONING ATLAS OF MANATEE COUNTY, ORDINANCE NO. 90-01 (THE MANATEE COUNTY LAND DEVELOPMENT CODE) RELATING TO ZONING WITHIN THE UNINCORPORATED AREA OF MANATEE COUNTY; PROVIDING FOR THE REZONING OF CERTAIN LAND FROM A-1 (SUBURBAN AGRICULTURE, 1 DWELLING UNIT PER ACRE) TO PDMU (PLANNED DEVELOPMENT MIXED USE); PROVIDING AN EFFECTIVE DATE; AND APPROVAL OF A PRELIMINARY SITE PLAN TO ALLOW 76 SINGLE-FAMILY DETACHED UNITS; 92 FOUR-PLEX (MULTI-FAMILY) UNITS OR 92 TOWNHOUSES (SINGLE-FAMILY ATTACHED DWELLINGS); 380 MULTI-FAMILY UNITS; 110,000 SQUARE FEET OF OFFICE SPACE; 162,200 SQUARE FEET OF RETAIL/COMMERCIAL SPACE; AND 35,000 SQUARE FEET OF STORAGE/MINI-WAREHOUSE OR 30 MULTI-FAMILY UNITS, AND GRANTING SPECIAL APPROVAL FOR A PROJECT: 1) EXCEEDING 30,000 SQUARE FEET OF NON-RESIDENTIAL BUILDING AREA IN THE RES-6 FUTURE LAND USE CATEGORY; 2) CONTAINING MULTIPLE FUTURE LAND USE CATEGORIES; 3) LOCATED IN THE MIXED USE FUTURE LAND USE CATEGORY; 4) THAT CONTAINS MULTIPLE-USES IN THE RES-6 FUTURE LAND USE CATEGORY; AND 5) LOCATED IN AN ENTRANCEWAY .

BE IT ORDAINED BY THE BOARD OF COUNTY COMMISSIONERS OF MANATEE COUNTY, FLORIDA:

Section 1. FINDINGS OF FACT. The Board of County Commissioners of said County, after considering the testimony, evidence, documentation, application for amendment of the Official Zoning Atlas, the recommendation and findings of the Planning Commission of said County, as well as all other matters presented to said Board at the public hearing hereinafter referenced, hereby makes the following findings of fact:

A. The Board of County Commissioners has received and considered the report of the Manatee County Planning Commission concerning the application for Official Zoning Atlas Amendment as it relates to the real property described in Section 4 of this Ordinance from A-1 (Suburban Agriculture, 1 dwelling unit per acre) to PDMU (Planned Development Mixed Use).

B. The Board of County Commissioners held a public hearing on April 22, 2003 regarding said proposed Official Zoning Atlas Amendment described herein in accordance with the requirements of Manatee County Ordinance No. 90-01, the Manatee County Land Development Code, and has further considered the information received at said public hearing.

C. The proposed amendment to the Official Zoning Atlas regarding the property described in Section 4 herein is found to be consistent with the requirements of Manatee County Ordinance No. 89-01, the Manatee County Comprehensive Plan.

Section 2. The Preliminary Site Plan is hereby APPROVED to allow: 76 single-family detached units; 92 four-plex (multi-family) units or 92 townhouses (single-family attached dwellings); 380 multi-family units; 110,000 square feet of office space; 162,200 square feet of retail/commercial space; and 35,000 square feet of storage/mini-warehouse or 30 multi-family units,

and GRANTING Special Approval for a project: 1) exceeding 30,000 square feet of non-residential building area in the RES-6 Future Land Use Category; 2) containing multiple Future Land Use Categories; 3) located in the Mixed Use Future Land Use Category; 4) that contains multiple-uses in the RES-6 Future Land Use Category; and 5) located in an Entranceway, with the following stipulations and Specific Approvals:

STIPULATIONS

1. In order to guarantee a “neo-traditional” design concept for Phase 5, the main street portion shall be the first subphase to be constructed. This shall include Buildings 26 through 30 and 33 through 36.
2. Transportation Related
 - A. Prior to issuance of the first Certificate of Occupancy or Final Subdivision Plat approval, whichever comes first, the developer shall dedicate right-of-way for the future extension of Broadway Avenue so that 84 feet is provided between Shade Avenue and University Commons DRI.
 - B. Prior to issuance of the first Certificate of Occupancy or Final Subdivision Plat approval for any development north of Broadway Avenue:
 - (1) Broadway Avenue shall be constructed from Shade Avenue to the eastern property line. Broadway Avenue and connecting intersections shall be constructed to County Standards as a two-lane divided roadway with 5 foot wide sidewalks and 4 foot wide bike lanes on both sides of the road, and trees in the median.
 - (2) The Developer shall construct a separate southbound left-turn lane, an eastbound left-turn lane, and westbound right-turn lane at the intersection of Shade Avenue and University Parkway. The Developer shall signalize this intersection when warranted by the MUTCD.
 - C. Prior to issuance of the first Certificate of Occupancy for any development south of Broadway Avenue, the developer shall construct westbound acceleration and deceleration lanes at the “right-in/right-out” access on University Parkway. This driveway location must meet the distance requirements of the Interlocal Agreement between Sarasota and Manatee County for University Parkway.
 - D. Prior to approval of the first Final Subdivision Plat for single-family lots, the developer shall construct a northbound(left-turn) refuge lane at the intersection of the north project access street and Tuttle Avenue.
 - E. The Developer shall provide the appropriate intersection sight distances and turning radii per AASHTO guidelines or as approved by the Department of Transportation. The Developer shall depict such distances and turning radii on the Final Site or Construction Plans.

- F. Only one driveway for Lots 25, 26, and 27 shall be provided on Tuttle Avenue. A cross access easement shall be provided along the frontage of Lot 25 to access Lots 26 and 27.
 - G. The roundabout in Broadway Avenue shall be constructed to State guidelines and approved by the Transportation Department.
 - H. On the multi-family component in the northwest portion of the site, an inter-neighborhood tie (public right-of-way) shall be provided to the west. The dedicated right-of-way shall be 50' in width from the eastern edge of the property at Shade Avenue until 31st Street Court. From 31st Street Court to the western property boundary the dedication shall be 25' in width. This dedication shall be contingent upon the dedication of 50' of right-of-way from the western terminus of this dedication to the southern terminus of Circus Road. This dedication requirement shall not be effective if the dedication of right-of-way required by others is not accomplished by August 5, 2003. Shade Avenue shall be constructed to connect to the dedication on the south side of the northwest portion of the site.
3. A. Except as specified in this condition, buildings within the Mixed Use Component (i.e., that area south of Broadway) shall be located substantially as shown on the Preliminary Site Plan, but may be shifted consistent with the overall village theme of development (which includes a main north/south internal drive with buildings fronting directly upon that drive and residential development within the village at time of FSP approval). Within the village area, no individual building shall exceed 48,000 square feet in gross floor area. No more than four individual buildings shall exceed 25,000 square feet in gross floor area for each building.
- B. The architectural design of the buildings in the Mixed Use Area shall be substantially consistent with the elevations entered into the record at this hearing (Attachment A). The buildings shall be designed with architectural features to replicate a small town, through the use of pitched roofs, bell towers, cupolas, staggered building fronts, and varied painted exteriors.
- C. All building facades visible from University Parkway, Broadway Avenue, and residential properties shall include landscaping and design features which reduce the mass, scale, and uniform monolithic appearance of large unadorned walls.
- The sides of all buildings shall have minimal blank walls no longer than 20 feet in length or 15' in height. In order to insure that the buildings do not project a massive blank wall, design elements shall include prominently visible architectural details [e.g., bumpouts, reveals and projecting ribs, cornice, offset building planes, windows, shutters, areas of contrasting and different finish building materials, colors, etc.] or other methods, as approved by the Planning Director. Facades greater than 100 feet in length shall have variation in roof lines through varying the height of the cornice, or the use of 2 or more roof types (parapet, dormers, and sloped, etc.).

- D. Hardscape features such as landscaped plazas shall be provided between buildings to create pedestrian seating areas and to break up the linear nature of the buildings.
- E. Buildings 24, 25, and 37 shall be designed with their front facades facing University Parkway. The restaurants shall be restricted to sit down only (i.e., no drive-thru permitted).
- F. The drive-thru associated with the bank (Building 37) shall be located on the side of the building opposite University Parkway.
- G. All roof mounted HVAC and mechanical equipment shall be screened from view from surrounding residential property and public rights-of-way. Screening shall be provided by materials consistent with the construction of the exterior finish materials of the buildings.
- H. Loading areas, outdoor storage, dumpsters and compactors shall not be located in front of any building and shall meet all setback requirements, unless they are not visible from any collector or arterial roadways or residential property. For determining visibility of the loading areas, the height of the overhead doors and trucks shall be considered.
- I. The following setbacks shall be required along University Parkway:

Building 37 (Bank)	40 feet
Buildings 24 & 25 (Restaurants)	140 feet (excluding screened in or outdoor seating area)
- J. All non-residential buildings shall maintain a minimum front yard setback of 30 feet from Broadway Avenue, with the exception of Building 32 adjacent to the roundabout which would be allowed a 20' setback.
- K. All parking areas shall maintain a minimum setback of 110 feet from University Parkway.
- L. Signs shall be restricted as follows:
 - (1) Signs along University Parkway shall be limited to one pole sign. Additional permitted signs shall be limited to ground signs. All signs must provide concealment of main support structure (e.g., pole) between 20 and 100% of sign width, with materials consistent with those in the development.
 - (2) Signs shall be of a common theme and contain similar materials, to be determined prior to the first Final Site Plan approval south of Broadway Avenue.
 - (3) Signs on Broadway Avenue shall be limited to ground signs, not to exceed a height of 8 feet.
 - (4) Buildings facing University and Broadway shall contain limited wall signs.

- M. The design and shielding of any on-site lighting shall comply with Section 709.2.2. In addition, pole and building mounted lights shall be limited to 20' in height and directed to the interior of the development using horizontal cut-off fixtures, unless street lamp posts or carriage style lights are used. All pole lights in each phase shall maintain a consistent style. The pole light style shall be determined prior to the first Final Site Plan for each phase.



- N. The landscape buffer along University Parkway, from the eastern property line to the first driveway; shall be at least 30' wide and contain an earthen berm a minimum of three feet (3') in height, as measured from the centerline or edge of pavement, whichever is lower adjoining University Parkway west bound travel lanes. This buffer shall be planted with two rows of canopy trees (3" caliper at least 12 feet in height and 4' spread) spaced 40' on-center. The two rows will be offset from each other to give the appearance of trees located 20' on-center. This vegetation shall be clustered or adjusted to protect the canopy of the existing trees. The earthen berm shall be located adjacent to University Parkway. The design shall be coordinated with the University Commons project.
- O. The Mixed-Use component shall contain at least 20,000 square feet of office space.
- P. A landscaped buffer 10 feet in width with palm and evergreen understory trees spaced 30 feet on-center shall be located adjacent to the eastern wall of the grocery store (Building 38), as depicted on the attached building elevation (Attachment B). Landscape islands in the parking lot east of the grocery store shall be located to maximize the screening of the building from the adjacent multi-family development. Canopy trees planted east of the grocery store shall be at least 5" caliper at time of planting.

An eight foot high solid wall or fence shall be provided along the eastern property line extending 20 feet north of the northerly extension of the grocery store loading zone drive to 20 feet south of the grocery store loading zone drive. The applicant may comply with this stipulation by assuring that the 6 foot high wall or fence being constructed on the western boundary of University Commons is constructed to 8 feet in said areas.

The main box of grocery store shall not exceed 26 feet in height, except for architectural details and embellishments which shall not exceed a height (as defined by the LDC) of 35 feet.

To promote pedestrian interaction between the village and grocery store, a sidewalk connecting the village and grocery store shall be at least 5 feet wide and incorporate pronounced landscaping islands and trees.

- Q. A 20 foot wide buffer shall be provided along the entire south side of Broadway Avenue.
 - R. A minimum of 100 multi-family residential units may be relocated from the multi-family section to the mixed use component.
 - S. All deliveries and truck loading shall be prohibited between the hours of 8:00 p.m. and 7:00 a.m.
4. Residential Design Standards
- A. All driveways for the four-plex units shall contain at least one parking space which does not block the space in the garage.
 - B. Setbacks for the single-family residential and four-plex units shall be:
 - Front: 20 feet
 - Side: 7.5 feet (single-family)
15 feet between buildings (four-plex)
 - Rear: 15 feet
 - C. A minimum of 10 shade trees, a minimum of 3" caliper, shall be planted in each recreational area. Any existing trees which meet this size standard that are preserved in recreational area may be used to satisfy this requirement.
 - D. A 15 foot greenbelt shall be provided around the perimeter of the residential portion of the project. This shall be shown on the Final Site Plan approval.
 - E. Along Lots 1-20 and the recreational area, the landscaped buffer adjacent to the Oak Grove Subdivision shall be 30 feet wide and shall contain a wall which shall be 8 feet above grade as measured at the Oak Grove property line and be planted with two staggered rows of trees, one canopy and one understory (3" caliper, 12' in height and 4' spread) with trees in each row spaced 40 feet apart. Landscaping shall be on the outside of the wall, provided, however, that one row of canopy trees may be located on the inside of the wall.
 - F. A 30 foot wide setback shall be provided along the western boundary of the multi-family component. A landscape buffer along this property line shall be 30 feet wide and planted with two staggered rows of trees, one canopy and one understory. The trees shall be 3" caliper, 12' in height, with a 4' spread spaced 40 feet apart in each row.

- G. Specific locations for sidewalks and mulch paths in the multi-family project shall be determined at time of Final Site Plan approval. At a minimum, sidewalks shall be on both sides of all drive aisles and parking areas unless an exception is granted by the Planning Department.
 - H. The homes on the perimeter single-family lots adjacent to Oak Grove (Lots 1-20) shall be limited to one (1) story, with a maximum of 18' in height. Lots in the area of the site plan dated 12/05/02 shown as Lots 1 - 20 shall be a minimum of 10,000 square feet. This may result in the loss of lots in this area.
 - I. If 25 feet of right-of-way is not provided on the north side of the University Commons project, the adjacent circulation system in the single-family residential component shall be redesigned to be completely on this project as well as the required 15 foot greenbelt.
 - J. Concurrent with the construction of the infrastructure for the single-family section, a 5 foot wide sidewalk shall be provided along Tuttle Avenue in front of this project and extending northward to connect to the sidewalk at Copperfield.
5. Environmental
- A. The developer shall provide signs adjacent to wetland buffers/conservation easements indicating that the area is a "Conservation Area", as required pursuant to Section 719.11.1.3.3 of the LDC. The type and location of such signs shall be shown and approved by the EMD with the Final Site Plan.
 - B. The applicant shall install wetland information signs at representative sites within common areas readily viewed by residents. Wetland information signs are in addition to the "Conservation Area" signs required by Section 719.11.1.3.3. The signs should explain the purpose, importance, and need for preserving wetlands and wetland buffers. The location and details of such signs shall be shown and approved by the EMD with the Final Site Plan.
 - C. The wetland buffer setback shall be a minimum of 5', and shall apply to the multi-family/quadplex portions of the site. The reduced wetland buffer setback shall be re-evaluated by the EMD and adjusted administratively, should the multi-family/quadplex portion of the project be developed as single family.
 - D. Unless otherwise approved by Environmental Management Department, native xeriscape landscape or drought tolerant materials shall be utilized in all common areas.
 - E. The developer shall encourage individual homeowner's to participate in the Florida Yards and Neighborhood Program by disseminating program information to individual lot owners or homeowners if the area is to be platted as a condominium.
 - F. Prior to Certificate of Occupancy/Final Subdivision Plat approval for each development phase, a Conservation Easement for the areas defined as post-

development jurisdictional wetlands/wetland buffers shall be dedicated to the County in accordance with Section 719.11.1.3 of the LDC.

- G. Removal of all exotic nuisance plant species from upland portions of the site shall be completed prior to the first certificate of occupancy issuance or final subdivision plat approval for each development phase, in accordance with Section 715.4 of the LDC.
 - H. Prior to commencement of construction or land clearing, an Erosion and Sediment Control Plan (ESCP) shall be submitted to the EMD for review and approval pursuant to Section 508.3.4.7.j. of the LDC. Final Site Plans, Construction Plans, ERP, and NPDES permit approvals must be obtained prior to submittal of the ESCP.
6. General
- A. The Developer shall use the lowest quality of water available for irrigation purposes. Consideration shall be given to meeting the irrigation needs of the Project with the following sources, in order of preference: (1) treated stormwater; and (2) non-potable quality groundwater. Prior to each Final Site Plan approval, the Developer shall identify the irrigation source which will be utilized. Use of Manatee County public potable water supply shall be prohibited for in-ground irrigation systems, including those on individual lots.
 - B. All Street designations shall be approved by the County. Any waiver requests to utilize names must be approved by the Board of County Commissioners, except for Broadway Avenue.
 - C. The trees that are proposed to be relocated off site shall be guaranteed by a performance security, consistent with Section 722.3.2 of the Land Development Code, for a period of one year. The trees which are relocated shall be identified as to their type, size, and area of replanting in an exhibit to the Performance Security. The performance security shall be based on replacement costs, as specified in the Manatee County Fee Schedule. For release of the Performance Security, a certification of a landscape architect stating the trees have survived shall be provided to the County.
 - D. Prior to construction, grading, or tree removal from the site, required protective barriers within each area of construction shall be installed to protect all 4" DBH (trunk diameter measured at 4.5 feet from the ground) and greater trees identified for protection, that is, not shown on the Final Site Plan as proposed to be removed, replaced, or relocated.

The minimum radius shall be protected:

- (1) Pines: dripline or 6', whichever is greater.
- (2) All other trees including hardwoods: 2/3 of the dripline or 6', whichever is greater.

Method of Erection

- (1) Minimum height of uprights: 3' (after being pounded into the ground), and no less than 2" x 4" lumber.
- (2) Uprights should have horizontal ribbing at the top and 12" below the top.
- (3) Uprights should be spaced at no more than 4'-5' intervals.
- (4) Horizontal members shall not be less than 1" x 2" lumber.

Barriers are to remain in place until all paving and construction are done and heavy equipment is out of the area. Trees 4" dbh and greater that are located within 10' of the lot under construction shall also be protected by a barricade during home construction.

- E. The Homeowner's Documents and Final Site Plan shall include notices to inform homeowner's of:
- (1) The mixed-use nature of the project, including commercial uses, in a number of phases; and
 - (2) The presence of an orange grove on property to the west.

SPECIFIC APPROVALS:

1. Specific Approval of an alternative to Section 710.1.5.1.2 of the Land Development Code to allow the four-plex units to have driveways that require vehicles to back into a local street.
2. Specific Approval of an alternative to Section 714.8 of the Land Development Code to allow the Planning Director the discretion to provide credits for tree planting off-site on public property.
3. Specific Approval of an alternative to Section 603.11.4.3 of the Land Development Code to allow a reduction in the setback from 30 feet to 20 feet adjacent to Broadway Avenue for Building 32.

Section 3. AMENDMENT OF THE OFFICIAL ZONING ATLAS. The Official Zoning Atlas of Manatee County, Ordinance No. 90-01, the Manatee County Land Development Code, is hereby amended by changing the zoning district classification of the property identified in Section 4 herein from A-1 (Suburban Agriculture, 1 dwelling unit per acre) to PDMU (Planned Development Mixed Use), and the Clerk of the Circuit Court, as Clerk to the Board of County Commissioners, as well as the Planning Department, are hereby instructed to cause such amendment to the said Official Zoning Atlas.

Section 4. LEGAL DESCRIPTION.
FROM OFFICIAL RECORDS BOOK 1651, PAGES 7947-7949 OF THE PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA:
BEGIN AT A CONCRETE MONUMENT, MARKING THE N.E. CORNER OF THE S.W. 1/4 OF SECTION 32, TOWNSHIP 35 SOUTH, RANGE 18 EAST; THENCE N 89° 21' 57" W. ALONG THE NORTH LINE OF SAID S.W. 1/4, 1066.67 FEET; THENCE S 00° 47' 41" W. EAST OF, AND MORE OR LESS PARALLEL TO, A DRAINAGE DITCH, 1339.35 FEET TO THE INTERSECTION

WITH THE SOUTH LINE OF THE S.W. 1/4 OF THE N.E. 1/4 OF THE S.W. 1/4 OF SAID SECTION 32; THENCE S 89° 23' 52" ALONG THE SOUTH LINE OF SAID S.W. 1/4 OF THE N.E. 1/4 OF THE S.W. 1/4, 400.56 FEET TO THE S.E. CORNER THEREOF; THENCE N 00° 23' 24" E. ALONG THE EAST LINE OF SAID S.W. 1/4 OF THE N.E. 1/4 OF THE S.W. 1/4, 334.78 FEET TO THE S.W. CORNER OF THE NORTH 1/2 OF THE S.E. 1/4 OF THE N.E. 1/4 OF THE S.W. 1/4 OF SAID SECTION 32; THENCE S 89° 23' 22" E. ALONG THE SOUTH LINE OF THE NORTH 1/2 OF SAID S.E. 1/4 OF THE N.E. 1/4 OF THE S.W. 1/4, 676.25 FEET TO THE S.E. CORNER THEREOF; THENCE N 00° 21' 05" E. ALONG THE EAST LINE OF THE S.W. 1/4 OF SAID SECTION 32, 1004.07 FEET TO THE POINT OF BEGINNING, BEING AND LYING IN THE N.E. 1/4 OF THE S.W. 1/4 OF SECTION 32, TOWNSHIP 35 SOUTH, RANGE 18 EAST, MANATEE COUNTY, FLORIDA

ALSO:

FROM OFFICIAL RECORDS BOOK 1121, PAGES 2160-2161 OF THE PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA:

S 1/2 OF SE 1/4 OF NE 1/4 OF SW 1/4, SECTION 32, TOWNSHIP 35 SOUTH, RANGE 18 EAST, MANATEE COUNTY, FLORIDA (5 ACRES).

ALSO:

FROM A BOUNDARY SURVEY BY GEORGE F. YOUNG, INC. (JOB NO. 99210111.0, DATED 11/22/99):

FROM THE SOUTHWEST CORNER OF THE SOUTHEAST 1/4 OF SECTION 32, TOWNSHIP 35 SOUTH, RANGE 18 EAST, RUN SOUTH 89° 36' 09" EAST, ALONG THE SOUTH LINE OF SAID SECTION 32, A DISTANCE OF 215.00 FEET; THENCE NORTH 00° 21' 17" EAST PARALLEL TO THE WEST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 32, A DISTANCE OF 155.36 FEET TO THE POINT OF BEGINNING; CONTINUE THENCE NORTH 00° 21' 17" EAST, ALONG SAID LINE A DISTANCE OF 274.64 FEET; THENCE NORTH 89° 36' 09" WEST PARALLEL TO THE SOUTH LINE OF SAID SECTION 32, A DISTANCE OF 215.00 FEET; THENCE NORTH 00° 21' 17" EAST, ALONG THE WEST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 32, A DISTANCE OF 2247.98 FEET TO THE NORTHWEST CORNER OF THE SOUTHEAST 1/4 OF SAID SECTION 32; THENCE SOUTH 89° 37' 27" EAST, ALONG THE NORTH LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 32, A DISTANCE OF 1191.17 FEET; THENCE SOUTH 0° 34' 42" WEST, A DISTANCE OF 1339.16 FEET; THENCE SOUTH 10° 21' 33" WEST, A DISTANCE OF 1184.13 FEET TO THE NORTH RIGHT-OF-WAY LINE OF COUNTY LINE ROAD (SECTION 13001-2502); THENCE NORTH 89° 36' 09" WEST. PARALLEL TO THE SOUTH LINE OF SAID SECTION 32 AND ALONG SAID RIGHT-OF-WAY LINE, A DISTANCE OF 413.01 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE TO THE LEFT, HAVING A RADIUS OF 5729.58 FEET AND A CENTRAL ANGLE OF 03° 31' 37", A DISTANCE OF 352.70 FEET TO THE POINT OF BEGINNING. LYING AND BEING IN SECTION 32, TOWNSHIP 35 SOUTH, RANGE 18 EAST, MANATEE COUNTY, FLORIDA.

LESS:

LAND DESCRIBED IN OFFICIAL RECORDS BOOK 1312, PAGE 1561, PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA.

LESS:

LAND DESCRIBED IN OFFICIAL RECORDS BOOK 1517, PAGE 4321, PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA.

LESS:

LAND DESCRIBED IN OFFICIAL RECORDS BOOK 1602, PAGE 6748, PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA

CONTAINING 56.699 ACRES.

ALSO:

FROM OFFICIAL RECORDS BOOK 1091, PAGES 818-819 OF THE PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA:

THE SW 1/4 OF SE 1/4 OF NE 1/4; THE E 1/2 OF SE 1/4 OF SW 1/4 OF NE 1/4; AND BEGINNING AT THE NE CORNER OF THE NW 1/4 OF THE SE 1/4 AND RUN THENCE WEST 2 1/2 CHAINS; THENCE SOUTH 20 CHAINS, THENCE EAST 2 1/2 CHAINS, THENCE NORTH 20 CHAINS TO POINT OF BEGINNING; AND BEGIN AT THE NE CORNER OF THE SW 1/4 OF SE 1/4 AND RUN THENCE WEST 2 1/2 CHAINS, THENCE SOUTHERLY TO A POINT 6 CHAINS WEST OF THE SE CORNER OF SAID SW 1/4 OF SE 1/4; THENCE EAST 6 CHAINS, THENCE NORTH TO THE POINT OF BEGINNING; ALSO: BEGINNING AT THE SW CORNER OF E 1/2 OF SE 1/4 AND RUN THENCE EAST 236 FEET, THENCE NORTH TO A POINT ON THE NORTH LINE OF SE 1/4 WHICH IS 230.6 FEET EAST OF THE NW CORNER OF E 1/2 OF SE 1/4 ; THENCE WEST TO THE NW CORNER OF E 1/2 OF SE 1/4; THENCE SOUTH ALONG THE WEST LINE OF E 1/2 OF SE 1/4 TO THE POINT OF BEGINNING, ALSO: BEGINNING AT THE NE CORNER OF NE 1/4 OF SE 1/4, THENCE SOUTH FOR A DISTANCE OF 25 FEET; THENCE WEST PARALLEL TO THE NORTH LINE OF NE 1/4 OF SE 1/4 TO THE EAST BOUNDARY OF THE LAND PREVIOUSLY CONVEYED ABOVE, THENCE NORTH ALONG SAID BOUNDARY TO THE NORTH LINE OF NE 1/4 OF SE 1/4, THENCE EAST TO THE POINT OF BEGINNING. ALL OF THE ABOVE LAND BEING IN SECTION 32, TOWNSHIP 35 SOUTH, RANGE 18 EAST, IN THE COUNTY OF MANATEE AND STATE OF FLORIDA, LESS LAND DESCRIBED IN OFFICIAL RECORD BOOK 964 PAGE 1144 FOR ROAD RIGHT-OF-WAY.

ALSO:

8028 TUTTLE AVENUE: N 1/2 OF SE 1/4 OF SE 1/4 OF NE 1/4 P-8-1.


8058 TUTTLE AVENUE: S 1/2 OF SE 1/4 OF SE 1/4 OF NE 1/4, LESS PARCEL IN SE COR 105 FT. N & S BY 660 FT. E & W & LESS RD R/W P-10.

8090 TUTTLE AVENUE: COM AT SE COR OF NE 1/4 SEC 32; TH RUN W A DIST OF 660 FT. TO A PT; TH N 105 FT. TO A PT; TH E 660 FT. TO A PT; TH S 105 FT. TO THE POB AS DESC IN OR 1178 P 1984 PRMCF

Section 5. EFFECTIVE DATE. This ordinance shall take effect immediately upon filing with the Office of the Secretary of State, Florida Department of State.


PASSED AND DULY ADOPTED, by the Board of County Commissioners of Manatee County, Florida on the 22nd day of April, 2003.

BOARD OF COUNTY COMMISSIONERS
OF MANATEE COUNTY, FLORIDA


BY: 
Chairman



ATTEST: R. B. SHORE
Clerk of the Circuit Court


Susan P. Romine





24'-0"
MAIN STREET VIEW



UNIVERSITY BLVD VIEW



UNIVERSITY COMMONS VIEW



APARTMENT VIEW

University Groves

A Mixed-use Development

Developer: University Grove Development, LLC
Architect: George Palermo, AIA Engineer/Planner: Wilson Miller

PLANNING
APR 16 2003
DEPARTMENT

DIVISIONS OF FLORIDA DEPARTMENT OF STATE
Office of the Secretary
Division of Administrative Services
Division of Corporations
Division of Cultural Affairs
Division of Elections
Division of Historical Resources
Division of Library and Information Services
Division of Licensing
MEMBER OF THE FLORIDA CABINET



FLORIDA DEPARTMENT OF STATE
Glenda E. Hood
Secretary of State
DIVISION OF ELECTIONS

HISTORIC PRESERVATION BOARDS
Historic Florida Keys Preservation Board
Historic Palm Beach County Preservation Board
Historic Pensacola Preservation Board
Historic St. Augustine Preservation Board
Historic Tallahassee Preservation Board
Historic Tampa/Hillsborough County
Preservation Board
RINGLING MUSEUM OF ART

May 7, 2003

Honorable R. B. Shore
Clerk of the Circuit Court and Comptroller
Manatee County
Post Office Box 1000
Bradenton, Florida 34206

Attention: Diane E. Vollmer

Dear Mr. Shore:

Pursuant to the provisions of Section 125.66, Florida Statutes, this will acknowledge receipt of your letters dated April 29, 2003 and certified copies of Manatee County Ordinance Nos. Z-86-30(G)(R11), PDR-01-20(Z)(P), PDMU-02-20(Z)(P), PDPI-03-09(Z)(P) and 03-30, which were filed in this office on May 2, 2003.

As requested, the original date stamped copies are being returned for your records.

Sincerely,

Liz Cloud, Chief
Bureau of Administrative Code

LC/mp

Enclosure

FILED FOR RECORD
R. B. SHORE

2003 MAY -9 AM 9:50

CLERK OF THE CIRCUIT COURT
MANATEE CO. FLORIDA